

Sample Report
Any Address
Anytown, IL 00001

| | | | |
|--------------------------|-----|--------------------|--------------------|
| Patient Number | | Specimen Collected | |
| 20037211 | | 03/01/2003 06:00AM | |
| Phone | | Specimen Received | |
| (123) 555-1234 | | 03/05/2003 10:06AM | |
| Sex | Age | Date Of Birth | Result Reported |
| M | 53 | 01/01/1950 | 03/06/2003 10:09AM |
| Report Status | | Specimen Number | |
| Complete | | 102 | |
| Physician Name | | | |
| Approved Medical Systems | | | |
| Patient Name | | | |
| Sample Report | | | |


| Test Name | CPT Code | Result | Units | Reference Range |
|---|--------------|--------|-------|-----------------|
| Prostate Specific Antigen (Tested using the Hybritech Tandem-MP PSA system from dried blood spot). | 84153 | 2.7 | ng/mL | less than 4.0 |

Your PSA result is within the normal reference range.

If your PSA is outside the normal reference range you do not necessarily have prostate disease. Also, a PSA result within the normal range does not necessarily rule it out. Your BIOSAFE PSA result is not a diagnosis of prostate disease. Only your doctor can make an accurate diagnosis with additional testing, usually to include a digital rectal exam.

Conditions other than prostate disease can affect your PSA level. We recommend that you contact your doctor soon for a follow-up and a complete explanation of your test result. If you have questions about your test result, call a BIOSAFE nurse toll-free at 1-888-700-8378 Mon to Fri, 8 a.m. to 5 p.m. Central Time.

Testing should not replace regular visits to your doctor. **Never adjust your medication before you consult with your doctor.**



Previous Test Dates